

## Pressed Components

Most of the standard disc sizes used in extrusion and filtration processes are available from existing die sets, a table listing these sizes is provided overleaf. This extensive range of die sizes coupled with our stock of standard meshes means that we are able to offer top quality service with short lead times from placement of order.

Dedicated tooling to press custom made components can be manufactured to order and will be subject to agreed tooling charges.



We combine cutting edge technology with unsurpassed product knowledge to build close partnerships with customers, often working alongside them to develop new and innovative products and solutions.

Our resources and applications experience have enabled us to develop solutions for many satisfied customers globally - from blue chip multinational companies to small specialist firms with unique applications.

Experienced engineering staff based at our Design and Technical Centre are also available to offer advice and guidance in the selection of the most appropriate material for given applications.

Locker is an accredited ISO 9001:2008 organisation and is committed to the provision of quality products.

[www.lockergroup.com](http://www.lockergroup.com)

Locker Wire Weavers Ltd, Farrell Street, Warrington, WA1 2WW, United Kingdom  
[sales@lockergroup.com](mailto:sales@lockergroup.com) Tel: +44 (0)1925 406600 Fax: +44 (0)1925 444386

## Existing Die Sizes

Listed by mm.

DIA	DIA	DIA	DIA	DIA	DIA
2.5	14.5	36.5	68	105	144.8
4	15	37	69	106	148
4.5	16	38	70	107	150
4.8	17	39	71	110	152
5	17.3	40	73.5	111.5	154
5.2	17.6	41	75	114	155
5.6	18	42	76	115	158
5.9	18.5	44	78	115.5	160
6	19	45	78.5	116	162
6.5	19.8	45.5	79.3	117	164
7.3	20	46.5	80	118	165
7.5	20.4	47	80.5	118.6	170
8	21	48	81	120	175
8.3	22	49	82	121	180
8.5	23	50	84	121	183
8.75	24	51	85	122	190
9	25	52	87	123	195
9.5	25.4	54	89	124	200
10	26	55	90	125	202
10.5	26.5	56	90.5	127	208
11	27	57	92	128	210
11.3	28	58	93	130	215
11.5	28.4	59.3	95	132	220
12	30	60	96	134	245
12.5	31	61	98	136	
12.7	31.6	63	100	138	
13	32	64	101.5	140	
13.5	35	65	103	142	
14	35.5	67	104	143	